

USDA Forest Service

Pacific Northwest Region

Umatilla National Forest

WHITE PAPER F14-SO-WP-SILV-17

Fact Sheet: Forest Service Trust Funds¹

David C. Powell; Forest Silviculturist Umatilla National Forest; Pendleton, OR

<u>Initial Version</u>: **FEBRUARY 1997**<u>Most Recent Revision</u>: **FEBRUARY 2014**

ntroduction	1
Brush Disposal (BD)	2
Knutson-Vandenberg (K-V)	3
Reforestation Trust Fund	4
Salvage Sale Fund (SSF)	5
General Considerations	6
Appendix: Silviculture white papers	7
Revision history	10

INTRODUCTION

When national forest timber is sold, receipts generated by a sale can be retained by the Forest Service to pay for:

- Reforestation of timber sale cutting units, and to finance sale-area improvements within a timber sale boundary (Knutson-Vandenberg funds).
- To prepare and administer future salvage sales (Salvage Sale Fund).
- To treat or remediate slash (woody debris) created by the timber sale itself (Brush Disposal funds).
- To complete road maintenance activities associated with a timber sale.
- To provide credits (in lieu of stumpage payments) for specified road developments (generally new road construction) required of a timber-sale purchaser (Purchaser Road Credits).

¹ White papers are internal reports; they receive only limited review. Viewpoints expressed in this paper are those of the author – they may not represent positions of USDA Forest Service.

To provide payments to counties for use with their public road system, and for public schools (National Forest Fund, which receives 25% of all monies received).
 [Note: federal law also requires that at the end of a fiscal year, 10% of all monies received is to be deposited into a Roads and Trails Fund – these funds are to be expended for roads and trails in national forests from which monies were collected.]

Many funds mentioned in this list are collectively referred to as 'trust funds.' This white paper is a short fact sheet providing general information about four common trust funds used in the Forest Service. Note that one fund described in this white paper, the Reforestation Trust Fund, is not derived from timber sale receipts.

Please contact the author of this white paper if you believe there are inconsistencies or contradictions between K-V or trust-fund Handbook or Manual direction (and their supplements), and any information provided in this white paper.

Brush Disposal (BD)

- A permanent appropriation passed into law in 1916 (e.g., Brush Disposal Act of August 11, 1916).
- BD funds provide a mechanism to deal with slash and fuels generated by timber sale activities (and also stewardship contracts) by having a timber purchaser make deposits to the United States (Forest Service) to cover costs of disposing of brush and woody debris resulting from a purchaser's harvest operations.
- Deposits are collected for fuels reduction work on individual timber sale areas, and they can only be used on that specific sale area.
- It is possible to require a purchaser to deal with slash by including an appropriate clause in a timber sale contract (rather than collecting a deposit from a purchaser and having work completed by USFS). To an extent practical and feasible, a purchaser is encouraged to perform as much brush disposal work as possible.
- The basis for calculating BD deposits is a Brush Disposal Treatment Plan (FS-2400-62 form), including associated maps showing treatment locations, and narratives describing project objectives and cost calculations for work activities.
- A BD deposit amount is calculated and fixed (frozen) at the time of timber sale award, and it cannot be changed after then unless rates are redetermined for a timber sale, which is when all deposits, credits, and collections can be recalculated.

KNUTSON-VANDENBERG (K-V)

- Originally passed into law on June 9, 1930; amended on October 22, 1976 with passage of National Forest Management Act (NFMA).
- K-V fund is a trust fund collecting a portion of timber sale receipts for reforestation in a timber sale area, and for other activities such as wildlife habitat improvement and fuels reduction (but only for treatment of pre-existing fuels, not for treatment of activity fuels created by a timber sale because they would typically be addressed by using BD funds).
- Amendments with NFMA broadened the scope of K-V Act to provide funds for other renewable resource projects and their associated costs (wildlife habitat, range improvement, noxious weed treatments, watershed improvement, etc.).
- Congressional intent for K-V Act was to authorize Secretary of Agriculture to complete required (essential) reforestation work without delay, and to minimize risks associated with a fluctuating budget process (i.e., enable time-sensitive work spanning multiple fiscal years to proceed without delay).
- K-V funds are derived from receipts generated by sale of national forest timber.
- K-V program declined in recent years due primarily to two factors: (1) a decline in timber volume offered from National Forest System lands, and (2) declining timber values, which affected stumpage value (and associated collections) generated by a timber sale.
- K-V funds are collected for <u>renewable</u> resource projects on individual timber sale areas, and they can only be used within a timber sale area from which they were collected (according to a 1976 NFMA amendment to the K-V Act, nonrenewable resources such as cultural resources are not covered by K-V).
- Criticism about the K-V program during 1980s and 1990s focused on use of K-V funds to cover indirect expenses associated with administering the program.
- District Court for northern California, however, ruled in January 1999 that Forest Service acted within the law (K-V Act) to cover indirect costs associated with implementing K-V projects, and that K-V administrative expenses are not covered by any other category of appropriations.
- K-V fund has a long and influential history in USDA Forest Service. For this reason, a separate white paper provides detailed information about the K-V program see "Knutson-Vandenberg (K-V) program" (White Paper F14-SO-WP-Silv-46).

REFORESTATION TRUST FUND (RTF)

- Established under Title III of Recreational Boating Safety and Facilities Improvement Act of 1980.
- Provides up to \$30,000,000 annually toward reforestation and timber stand improvement (TSI) work; funds are derived from tariffs imposed on imported timber and wood products.
- RT funds are used as an 'offset' in Forest Service's annual budget request for appropriated reforestation and TSI funding (i.e., RTRT funds are used to offset appropriated funds that would otherwise be requested, from Congress, in the NFVW budget line item).
- RTF provides a reliable funding source for certain types of forest vegetation management work, primarily related to nurseries, reforestation, and noncommercial thinning.
- RT funds may be used for reforestation and TSI work throughout the National Forest System.
- 1980 authorizing legislation specifically provides for use of RT funds for "properly allocable administrative expenses." This means that RT funds can be used for program support costs.

SALVAGE SALE FUND (SSF)

- SSF is a permanent appropriation enacted into law in 1976 upon passage of National Forest Management Act (specifically, section 14h of NFMA, Public Law 94-588).
- Primary purpose of SSF is to salvage insect infested, dead, damaged, or down timber, and to remove associated trees, for stand improvement.
- Primary intent of SSF is to address three situations: (1) salvage plus sanitation (reduce spread of an existing insect or disease outbreak); (2) salvage plus stand improvement (remove dead and dying trees, and also accomplish stand improvement treatments); and (3) salvage plus regeneration (generally involving removal of all existing timber, followed by reforestation to establish a new stand).
- Congressional intent was to authorize Secretary of Agriculture to expeditiously remove damaged timber following disturbance events, and to minimize salvage program fluctuations associated with an appropriations (budgeting) process.
- SSF funds are taken from timber sale receipts; calculated amounts are based on recovering costs of salvage sale preparation and administration.
- Beyond what is retained for deposits (BD, etc.), credits (Purchaser Road Credits), and National Forest Fund (25% of collected receipts), it is possible for all remaining timber sale receipts to be collected as SSF. In other words, a green timber sale can have a 5% salvage component (with 95% being non-salvage component), and yet all discretionary receipts can be allocated totally (100%) to SSF unless the sale includes required reforestation, which would be collected before SSF.
 Some employees find this situation confusing because they think that if a salvage component is 5%, it means that SSF can only collect 5% of 'discretionary' receipts (receipts beyond NFF, BD, PRC, etc.). This interpretation is not correct.
- SSF program fluctuates as a result of uncertainty associated with occurrence of disturbance events generating salvage opportunities and needs; in early 1990s, for example, salvage-sale volume fluctuated from a high of 2.9 billion board feet in 1990 following Hurricane Hugo to a low of 1.0 billion board feet in 1994.
- Salvage Sale Fund is a pooled account managed at a national forest level, and SSF funds may be transferred to other units (national forests). Sometimes, SSF transfers between national forests are managed as 'loans,' with an expectation that amounts transferred from one Forest will eventually be repaid by the receiving Forest.

GENERAL CONSIDERATIONS

- Forest Service is required by law to transfer surplus or excess collections from Knutson-Vandenberg, Brush Disposal, and Salvage Sale funds to United States Treasury annually. These amounts are determined by completing an "annual balance review" evaluating funding amounts needed to accomplish remaining work shown on approved K-V, BD, and SSF plans.
- K-V funds identified as 'surplus or excess' during an annual CWKV balance review
 can be retained, at Washington Office level, as CWK2 funds (rather than being
 transferred to U.S. Treasury). CWK2 funds can then be distributed to Regions
 through the normal budget allocation process (typically, CWK2 are allocated to Regions in the same proportion as Regions originally generated surplus or excess K-V
 funds). Chapter 20 of Renewable Resources Handbook describes the CWK2 program.

APPENDIX: SILVICULTURE WHITE PAPERS

White papers are internal reports, and they are produced with a consistent formatting and numbering scheme — all papers dealing with Silviculture, for example, are placed in a silviculture series (Silv) and numbered sequentially. Generally, white papers receive only limited review and, in some instances pertaining to highly technical or narrowly focused topics, the papers may receive no technical peer review at all. For papers that receive no review, the viewpoints and perspectives expressed in the paper are those of the author only, and do not necessarily represent agency positions of the Umatilla National Forest or the USDA Forest Service.

Large or important papers, such as two papers discussing active management considerations for dry and moist forests (white papers Silv-4 and Silv-7, respectively), receive extensive review comparable to what would occur for a research station general technical report (but they don't receive blind peer review, a process often used for journal articles).

White papers are designed to address a variety of objectives:

- (1) They guide how a methodology, model, or procedure is used by practitioners on the Umatilla National Forest (to ensure consistency from one unit, or project, to another).
- (2) Papers are often prepared to address ongoing and recurring needs; some papers have existed for more than 20 years and still receive high use, indicating that the need (or issue) has long standing an example is white paper #1 describing the Forest's big-tree program, which has operated continuously for 25 years.
- (3) Papers are sometimes prepared to address emerging or controversial issues, such as management of moist forests, elk thermal cover, or aspen forest in the Blue Mountains. These papers help establish a foundation of relevant literature, concepts, and principles that continuously evolve as an issue matures, and hence they may experience many iterations through time. [But also note that some papers have not changed since their initial development, in which case they reflect historical concepts or procedures.]
- (4) Papers synthesize science viewed as particularly relevant to geographical and management contexts for the Umatilla National Forest. This is considered to be the Forest's self-selected 'best available science' (BAS), realizing that non-agency commenters would generally have a different conception of what constitutes BAS like beauty, BAS is in the eye of the beholder.
- (5) The objective of some papers is to locate and summarize the science germane to a particular topic or issue, including obscure sources such as master's theses or Ph.D. dissertations. In other instances, a paper may be designed to wade through an overwhelming amount of published science (dry-forest management), and then synthesize sources viewed as being most relevant to a local context.
- (6) White papers function as a citable literature source for methodologies, models, and procedures used during environmental analysis by citing a white paper, specialist reports can include less verbiage describing analytical databases, techniques, and so forth, some of which change little (if at all) from one planning effort to another.
- (7) White papers are often used to describe how a map, database, or other product was developed. In this situation, the white paper functions as a 'user's guide' for the new product. Ex-

amples include papers dealing with historical products: (a) historical fire extents for the Tucannon watershed (WP Silv-21); (b) an 1880s map developed from General Land Office survey notes (WP Silv-41); and (c) a description of historical mapping sources (24 separate items) available from the Forest's history website (WP Silv-23).

The following white papers are available from the Forest's website: Silviculture White Papers

Paper #	Title
1	Big tree program
2	Description of composite vegetation database
3	Range of variation recommendations for dry, moist, and cold forests
4	Active management of Blue Mountains dry forests: Silvicultural considerations
5	Site productivity estimates for upland forest plant associations of Blue and Ochoco Mountains
6	Blue Mountains fire regimes
7	Active management of Blue Mountains moist forests: Silvicultural considerations
8	Keys for identifying forest series and plant associations of Blue and Ochoco Mountains
9	Is elk thermal cover ecologically sustainable?
10	A stage is a stage is a stageor is it? Successional stages, structural stages, seral stages
11	Blue Mountains vegetation chronology
12	Calculated values of basal area and board-foot timber volume for existing (known)
	values of canopy cover
13	Created opening, minimum stocking, and reforestation standards from Umatilla Na-
	tional Forest Land and Resource Management Plan
14	Description of EVG-PI database
15	Determining green-tree replacements for snags: A process paper
16	Douglas-fir tussock moth: A briefing paper
17	Fact sheet: Forest Service trust funds
18	Fire regime condition class queries
19	Forest health notes for an Interior Columbia Basin Ecosystem Management Project
	field trip on July 30, 1998 (handout)
20	Height-diameter equations for tree species of Blue and Wallowa Mountains
21	Historical fires in headwaters portion of Tucannon River watershed
22	Range of variation recommendations for insect and disease susceptibility
23	Historical vegetation mapping
24	How to measure a big tree
25	Important Blue Mountains insects and diseases
26	Is this stand overstocked? An environmental education activity
27	Mechanized timber harvest: Some ecosystem management considerations
28	Common plants of south-central Blue Mountains (Malheur National Forest)
29	Potential natural vegetation of Umatilla National Forest

Potential vegetation mapping chronology Probability of tree mortality as related to fire-caused crown scorch Review of "Integrated scientific assessment for ecosystem management in the interior Columbia basin, and portions of the Klamath and Great basins" – Forest vegetation Silviculture facts Silvicultural activities: Description and terminology Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman N	Paper #	Title
 Probability of tree mortality as related to fire-caused crown scorch Review of "Integrated scientific assessment for ecosystem management in the interior Columbia basin, and portions of the Klamath and Great basins" – Forest vegetation Silviculture facts Silvicultural activities: Description and terminology Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environm	-	
Review of "Integrated scientific assessment for ecosystem management in the interior Columbia basin, and portions of the Klamath and Great basins" – Forest vegetation Silviculture facts Silvicultural activities: Description and terminology Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	31	
rior Columbia basin, and portions of the Klamath and Great basins" – Forest vegetation 33 Silviculture facts 34 Silvicultureal activities: Description and terminology 35 Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts 36 Stand density protocol for mid-scale assessments 37 Stand density thresholds as related to crown-fire susceptibility 38 Umatilla National Forest Land and Resource Management Plan: Forestry direction 39 Updates of maximum stand density index and site index for Blue Mountains variant 39 of Forest Vegetation Simulator 40 Competing vegetation analysis for southern portion of Tower Fire area 41 Using General Land Office survey notes to characterize historical vegetation condi- 42 tife history traits for common Blue Mountains conifer trees 43 Timber volume reductions associated with green-tree snag replacements 44 Density management field exercise 45 Climate change and carbon sequestration: Vegetation management considerations 46 Knutson-Vandenberg (K-V) program 47 Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations 48 Tower Firethen and now. Using camera points to monitor postfire recovery 49 How to prepare a silvicultural prescription for uneven-aged management 50 Stand density conditions for Umatilla National Forest: A range of variation analysis 51 Restoration opportunities for upland forest environments of Umatilla National Forest 52 New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? 53 Eastside Screens chronology 54 Using mathematics in forestry: An environmental education activity 55 Silviculture certification: Tips, tools, and trip-ups 56 Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	32	·
silvicultural activities: Description and terminology Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation simulator Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests		•
 Silvicultural activities: Description and terminology Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitm		tion
Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	33	Silviculture facts
Stand density protocol for mid-scale assessments Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	34	Silvicultural activities: Description and terminology
 Stand density thresholds as related to crown-fire susceptibility Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	35	Site potential tree height estimates for Pomeroy and Walla Walla Ranger Districts
 Umatilla National Forest Land and Resource Management Plan: Forestry direction Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests 	36	Stand density protocol for mid-scale assessments
 Updates of maximum stand density index and site index for Blue Mountains variant of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests 	37	Stand density thresholds as related to crown-fire susceptibility
of Forest Vegetation Simulator Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	38	Umatilla National Forest Land and Resource Management Plan: Forestry direction
 Competing vegetation analysis for southern portion of Tower Fire area Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	39	Updates of maximum stand density index and site index for Blue Mountains variant
 Using General Land Office survey notes to characterize historical vegetation conditions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		of Forest Vegetation Simulator
tions for Umatilla National Forest Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests	40	Competing vegetation analysis for southern portion of Tower Fire area
 Life history traits for common Blue Mountains conifer trees Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	41	Using General Land Office survey notes to characterize historical vegetation condi-
Timber volume reductions associated with green-tree snag replacements Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests		tions for Umatilla National Forest
Density management field exercise Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests	42	Life history traits for common Blue Mountains conifer trees
 Climate change and carbon sequestration: Vegetation management considerations Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	43	Timber volume reductions associated with green-tree snag replacements
 Knutson-Vandenberg (K-V) program Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	44	Density management field exercise
 Active management of quaking aspen plant communities in northern Blue Mountains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	45	Climate change and carbon sequestration: Vegetation management considerations
 tains: Regeneration ecology and silvicultural considerations Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	46	Knutson-Vandenberg (K-V) program
 Tower Firethen and now. Using camera points to monitor postfire recovery How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	47	
 How to prepare a silvicultural prescription for uneven-aged management Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		
 Stand density conditions for Umatilla National Forest: A range of variation analysis Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		
 Restoration opportunities for upland forest environments of Umatilla National Forest New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		
New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests		•
 New perspectives in riparian management: Why might we want to consider active management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	51	Restoration opportunities for upland forest environments of Umatilla National For-
management for certain portions of riparian habitat conservation areas? Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests		
 Eastside Screens chronology Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 	52	
 Using mathematics in forestry: An environmental education activity Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		
 Silviculture certification: Tips, tools, and trip-ups Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		- -
 Vegetation polygon mapping and classification standards: Malheur, Umatilla, and Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		·
 Wallowa-Whitman National Forests State of vegetation databases for Malheur, Umatilla, and Wallowa-Whitman National Forests 		
tional Forests	56	
Seral status for tree species of Blue and Ochoco Mountains	57	
	58	Seral status for tree species of Blue and Ochoco Mountains

REVISION HISTORY

January 2001: minor formatting and editing changes were made when this fact sheet was used as handout material for a Trust Funds Management training offered at Umatilla NF Supervisor's Office on January 17, 2001.

February 2014: minor formatting and editing changes were made, primarily to bring this material in line with a recent version of Renewable Resources Handbook, FSH 2409.19. This update also reformatted the original white paper into a contemporary style by adding a first page 'white paper' header, assigning a white paper number, and adding an appendix describing a silviculture white paper system.